


Special bellows – design information

Top stitched bellows

Type	AD	ID	FB	FAZ	FZD	FHub
RF 50	50	25	12,5	10	2,5	7,5
RF 72	72	33	19,5	18	2,5	15,5
RF 85	85	45	20	18	2,5	15,5
RF 95	95	53	21	18	2,5	15,5
RF 100	100	63	18,5	18	2,5	15,5
RF 120	120	82	19	18	2,5	15,5
RF 122	122	76	23	15	2,5	12,5
RF 130	130	90	20	18	2,5	15,5
RF 135	135	85	25	15	2,5	12,5
RF 140	140	102	19	18	2,5	15,5
RF 145/1	145	93	26	15	2,5	12,5
RF 145/2	145	105	20	18	2,5	15,5
RF 150	150	110	20	18	2,5	15,5
RF 160	160	112	24	18	2,5	15,5
RF 170	170	125	22,5	18	2,5	15,5
RF 180/1	180	132	24	20	2,5	17,5
RF 180/2	180	141	19,5	18	2,5	15,5
RF 190	190	150	20	18	2,5	15,5
RF 200	200	152	24	18	2,5	15,5
RF 220	220	170	25	18	2,5	15,5
RF 235	235	190	22,5	18	2,5	15,5
RF 245	245	200	22,5	20	2,5	17,5
RF 260	260	202	29	18	2,5	15,5
RF 266	266	216	25	20	2,5	17,5
RF 300	300	250	25	18	2,5	15,5
RF 365	365	320	22,5	18	2,5	15,5
RF 400	400	340	30	20	2,5	17,5



Soft PVC Bellows

Type	ID	AD	FZD	FAZ
10	10	20	4	12
18	18	28	4	12
20	20	36	4,5	18
22	22	40	5	20
25-1	25	36	5	15
25-2	25	45	5,5	24
28-1	28	40	5,5	19
28-2	28	50	5,5	23
32-1	32	46	5	16
32-1	32	56	6,5	26
36-1	36	50	5	17
36-1	36	63	7	28

40-1	40	56	6	21
40-1	40	71	7,5	34
45-1	45	63	6,5	22
45-2	45	80	7	34
50-1	50	71	6	23
50-2	50	89	8	39
56-1	56	80	6,5	27
56-2	56	89	7,5	36
56-3	56	100	8,5	45
63-1	63	89	6,5	26
63-2	63	100	7,5	36
63-3	63	110	7,5	40
63-4	63	125	7,5	48
71	71	100	7	30
75-1	75	100	7	28
75-2	75	110	7	32
75-3	75	125	7,5	42
75-4	75	140	7,5	55
75-5	75	150	7,5	58
80-1	80	100	7	24
80-2	80	110	7,5	32
80-3	80	125	7,5	44
80-4	80	140	7,5	53
80-5	80	150	8	58
80-6	80	160	8	65
89-1	89	110	7,5	24
89-2	89	125	8	36
89-3	89	140	8	46
89-4	89	150	8	55
89-5	89	160	8	60
89-6	89	170	8,5	65
100-1	100	128	7,5	29
100-2	100	140	8	40
100-3	100	150	8	46
100-4	100	160	8	55
100-5	100	170	8,5	60
100-6	100	180	9	65
110-1	110	130	7,5	24
110-2	110	140	7,5	30
110-3	110	150	8	40
110-4	110	160	8	47
110-5	110	170	8	56

Type	ID	AD	FZD	FAZ
110-6	110	180	8,5	60
110-7	110	190	9	65
110-8	110	200	9	70
120-1	120	140	7,5	24
120-2	120	150	8	30
120-3	120	160	8	40
120-4	120	170	8	47
120-5	120	180	8,5	55
120-6	120	190	9	60

120-7	120	200	9	65
125-1	125	150	7,5	28
125-2	125	160	8	38
125-3	125	170	8,5	42
125-4	125	180	8,5	52
125-5	125	190	8,5	57
125-6	125	200	8,5	62
125-7	125	210	9	68
140-1	140	160	7,5	24
140-2	140	170	8	30
140-3	140	180	8,5	40
140-4	140	190	9	47
140-5	140	200	10	56
140-6	140	210	10	60
140-7	140	220	10	65
150-1	150	170	8	24
150-2	150	180	8,5	30
150-3	150	190	9	40
150-4	150	200	9	47
150-5	150	210	10	56
150-6	150	220	10	60
150-7	150	230	10	65
150-8	150	240	10	70
160-1	160	190	8,5	30
160-2	160	200	9	40
160-3	160	210	10	47
160-4	160	220	10	56
160-5	160	230	10	60
160-6	160	240	10	65
160-7	160	250	10	70
170-1	170	200	9	30
170-2	170	210	10	40
170-3	170	220	10	47
170-4	170	230	10	56
170-5	170	240	10	60
170-6	170	250	10	65
170-7	170	260	10	70
180-1	180	210	9	30
180-2	180	220	10	40
180-3	180	230	10	47
180-4	180	240	10	56
180-5	180	250	10	60
180-6	180	260	10	65
190-1	190	220	9	30
190-2	190	230	10	40

Type	ID	AD	FZD	FAZ
190-3	190	240	10	47
190-4	190	250	10	60
190-5	190	260	10	70
190-6	190	280	10	75
200-1	200	230	9	30
200-2	200	240	10	40

200-3	200	250	10	47
200-4	200	260	10	57
200-5	200	280	10	70
210-1	210	240	10	30
210-2	210	250	10	40
210-3	210	260	10	47
210-4	210	280	10	65
210-5	210	300	10	75
220-1	220	250	10	30
220-2	220	260	10	40
220-3	220	280	10	57
220-4	220	300	10	70
220-5	220	320	10	80
230-1	230	260	10	30
230-2	230	280	10	48
230-3	230	300	10	65
230-4	230	320	10	75
240-1	240	280	10	40
240-2	240	300	10	58
240-3	240	320	10	70
240-4	240	360	10	90
250-1	250	280	10	30
250-2	250	300	10	45
250-3	250	320	10	60
250-4	250	360	11	85
280-1	280	320	10	40
280-2	280	360	10	72
280-3	280	400	11	90
300-1	300	360	10	60
300-2	300	400	10	80
320-1	320	360	10	40
320-2	320	400	10	72
320-3	320	450	11	100
360-1	360	400	10	40
360-2	360	450	10	80
360-3	360	510	11	110
400-1	400	450	10	50
400-2	400	510	10	85
400-3	400	530	11	100
450-1	450	490	10	40
450-2	450	510	10	55
450-3	450	530	11	75
450-4	450	560	12	85
510	510	650	12	105
560	560	650	12	75
650	650	770	12	90

Type AB**Type JAB****Type JB****Type HB**

